













CBTM4NVS11

Terminal Type - CBTM4NVS11, Stud Type terminal block, nominal voltage: 1100 V, nominal current: 57 A, Rated cross-section - 10 mm², connection method: Bolt connection - Nut Driver Operated, number of connections: 2, cross-section: 2.5 mm² - 10 mm², mounting type : TS32

Product Accessories

| Cover Profile | | |
|---------------------|---------------------------------------------------------------|---------------------------------------------------------------------------------------|
| PCC3NV | Width : 300.00 mm Thickness : 1.50 mm Length : 48.50 mm |  |
| PCCM30NV | Width : 30.00 mm Thickness : 1.00 mm Length : 45.50 mm |  |
| PCCM45K | Width : 45.00 mm Thickness : 1.30 mm Length : 54.50 mm |  |
| DIN Rail Perforated | | |
| CHS | Height : 15.00 mm Width : 32.00 mm Thickness : 1.50 mm |  |
| End Clamp | | |
| SCS | Height : 26.90 mm Length : 21.00 mm |  |
| SCSN | Height : 31.00 mm Width : 8.40 mm Length : 27.00 mm |  |
| SCUP | Height : 34.00 mm Length : 44.75 mm |  |
| SCUSL | Height : 41.10 mm Width : 8.00 mm Length : 47.50 mm |  |
| SCUDD | Height : 50.00 mm Width : 10.00 mm Length : 55.60 mm |  |

| End Clamp | | |
|-----------------------------------|-----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SCUN | Height : 35.50 mm Width : 9.50 mm Length : 50.60 mm |  |
| End Cover | | |
| EPS4NV | Height : 28.50 mm Width : 2.50 mm Length : 46.00 mm |  |
| Insertion Bridge | | |
| KSL5-10W | Width : 142.50 mm Pitch : 15.00 mm Length : 26.50 mm |  |
| KSL5-2W | Width : 37.50 mm Pitch : 15.00 mm Length : 26.00 mm |  |
| KSL5-3W | Width : 22.50 mm Pitch : 15.00 mm Length : 26.00 mm |  |
| KSL5-4W | Width : 52.50 mm Pitch : 15.00 mm Length : 26.00 mm |  |
| KSL5-5W | Width : 67.50 mm Pitch : 15.00 mm Length : 26.00 mm |  |
| Marker For Terminal Blocks | | |
| LABEL KN6.5 | Width : 6.70 mm |  |
| Partition Plate | | |
| KBZF | Height : 65.00 mm Width : 1.50 mm Length : 65.00 mm |  |
| Marker carriers | | |
| GMC | Height : 48.00 mm Width : 39.00 mm Thickness : 1.00 mm Length : 38.00 mm |  |

| Marker carriers | | |
|------------------------|------------------------------------------------------------|-------------------------------------------------------------------------------------|
| SCUDDMLH | Height : 71.50 mm Width : 10.00 mm Length : 55.60 mm |  |
| SCUNMLH | Height : 53.50 mm Width : 9.50 mm Length : 50.60 mm |  |

