













## ETN4

Terminal Type - ETN4, Ground modular terminal block for photo voltaic applications, connection method: Screw connection, Rated cross-section- 4.0 mm<sup>2</sup>, number of connections: 2, cross-section: 0.5 mm<sup>2</sup> - 4 mm<sup>2</sup>, mounting type: TS 35/7.5, TS 35/15, TS 32

### Product Accessories

| Cover Profile          |                                                               |                                                                                       |
|------------------------|---------------------------------------------------------------|---------------------------------------------------------------------------------------|
| PCK3                   | Height : 28.00 mm<br>Width : 58.35 mm<br>Thickness : 1.00 mm  |    |
| Cover Profile Carrier  |                                                               |                                                                                       |
| UHDD                   | Height : 74.50 mm<br>Thickness : 2.00 mm<br>Length : 55.82 mm |    |
| DIN Rail Perforated    |                                                               |                                                                                       |
| CHKDS                  | Height : 15.00 mm<br>Width : 35.00 mm<br>Thickness : 1.50 mm  |   |
| CHKS                   | Height : 7.50 mm<br>Width : 35.00 mm<br>Thickness : 1.00 mm   |  |
| CHS                    | Height : 15.00 mm<br>Width : 32.00 mm<br>Thickness : 1.50 mm  |  |
| DIN Rail, Unperforated |                                                               |                                                                                       |
| CHKD                   | Height : 15.00 mm<br>Width : 35.00 mm<br>Thickness : 1.50 mm  |  |
| CHK                    | Height : 7.50 mm<br>Width : 35.00 mm<br>Thickness : 1.00 mm   |  |
| End Cap                |                                                               |                                                                                       |
| CHKENDCAP              | Height : 14.00 mm<br>Width : 9.00 mm<br>Length : 41.50 mm     |  |

| End Clamp                  |                                                            |                                                                                       |
|----------------------------|------------------------------------------------------------|---------------------------------------------------------------------------------------|
| SCUP                       | Height : 34.00 mm<br>Length : 44.75 mm                     |    |
| SCUSL                      | Height : 41.10 mm<br>Width : 8.00 mm<br>Length : 47.50 mm  |    |
| SCUDD                      | Height : 50.00 mm<br>Width : 10.00 mm<br>Length : 55.60 mm |    |
| DCKN                       | Height : 33.00 mm<br>Width : 6.00 mm<br>Length : 43.50 mm  |    |
| DCKN10                     | Height : 35.00 mm<br>Width : 10.00 mm<br>Length : 43.50 mm |   |
| SCKN                       | Height : 34.50 mm<br>Width : 8.00 mm<br>Length : 44.90 mm  |  |
| SCUN                       | Height : 35.50 mm<br>Width : 9.50 mm<br>Length : 50.60 mm  |  |
| Marker For Terminal Blocks |                                                            |                                                                                       |
| LABEL KN5.5                | Width : 6.00 mm                                            |  |
| Partition Plate            |                                                            |                                                                                       |
| KNBF 2.5/10                | Height : 58.00 mm<br>Width : 1.50 mm<br>Length : 55.50 mm  |  |
| Marker carriers            |                                                            |                                                                                       |
| SCUDDMLH                   | Height : 71.50 mm<br>Width : 10.00 mm<br>Length : 55.60 mm |  |

| Marker carriers |                                                           |  |                                                                                     |
|-----------------|-----------------------------------------------------------|--|-------------------------------------------------------------------------------------|
| SCUNMLH         | Height : 53.50 mm<br>Width : 9.50 mm<br>Length : 50.60 mm |  |  |
| DCKNMLH         | Height : 45.50 mm<br>Width : 6.00 mm<br>Length : 43.50 mm |  |  |
| SCKNMLH         | Height : 45.50 mm<br>Width : 8.00 mm<br>Length : 44.90 mm |  |  |

