



KBTM5-15

Terminal Type - KBTM5-15 , Feed Through Terminal Block , nominal voltage: 800 V (Tested at 1100 V) , nominal current: 76 A, connection method: Bolt Connection - Nut driver operated, number of connections: 2, cross section: 0.5 mm² - 16 mm², AWG: 14 - 6, mounting type: TS 35/7.5, TS 35/15, TS 32

Product Accessories

| Cover Profile | | |
|------------------------|--|---|
| PCC3K | |  |
| PCCM30K | |  |
| PCCM45K | Width : 45.00 mm Thickness : 1.30 mm Length : 54.50 mm |  |
| DIN Rail Perforated | | |
| CHKDS | Height : 15.00 mm Width : 35.00 mm Thickness : 1.50 mm |  |
| CHKS | Height : 7.50 mm Width : 35.00 mm Thickness : 1.00 mm |  |
| CHS | Height : 15.00 mm Width : 32.00 mm Thickness : 1.50 mm |  |
| DIN Rail, Unperforated | | |
| CHKD | Height : 15.00 mm Width : 35.00 mm Thickness : 1.50 mm |  |
| CHK | Height : 7.50 mm Width : 35.00 mm Thickness : 1.00 mm |  |
| End Cap | | |
| CHKENDCAP | Height : 14.00 mm Width : 9.00 mm Length : 41.50 mm |  |

| End Clamp | | |
|------------------|--|---|
| SCUP | Height : 34.00 mm Length : 44.75 mm |  |
| SCUSL | Height : 41.10 mm Width : 8.00 mm Length : 47.50 mm |  |
| SCUDD | Height : 50.00 mm Width : 10.00 mm Length : 55.60 mm |  |
| DCKN | Height : 33.00 mm Width : 6.00 mm Length : 43.50 mm |  |
| DCKN10 | Height : 35.00 mm Width : 10.00 mm Length : 43.50 mm |  |
| SCKN | Height : 34.50 mm Width : 8.00 mm Length : 44.90 mm |  |
| SCUN | Height : 35.50 mm Width : 9.50 mm Length : 50.60 mm |  |
| End Cover | | |
| KPS4 | Height : 32.00 mm Width : 1.50 mm Length : 50.00 mm |  |
| Insertion Bridge | | |
| KSL5-2W | Width : 37.50 mm Pitch : 15.00 mm Length : 26.00 mm |  |
| KSL5-10W | Width : 142.50 mm Pitch : 15.00 mm Length : 26.50 mm |  |
| KSL5-3W | Width : 22.50 mm Pitch : 15.00 mm Length : 26.00 mm |  |

| Insertion Bridge | | |
|----------------------------|---|---|
| KSL5-4W | Width : 52.50 mm Pitch : 15.00 mm Length : 26.00 mm |  |
| KSL5-5W | Width : 67.50 mm Pitch : 15.00 mm Length : 26.00 mm |  |
| Marker For Terminal Blocks | | |
| LABEL KN6.5 | Width : 6.70 mm |  |
| Partition Plate | | |
| KBXF | Height : 53.40 mm Thickness : 1.50 mm Length : 54.00 mm |  |
| Marker carriers | | |
| SCUDDMLH | Height : 71.50 mm Width : 10.00 mm Length : 55.60 mm |  |
| SCUNMLH | Height : 53.50 mm Width : 9.50 mm Length : 50.60 mm |  |
| DCKNMLH | Height : 45.50 mm Width : 6.00 mm Length : 43.50 mm |  |
| SCKNMLH | Height : 45.50 mm Width : 8.00 mm Length : 44.90 mm |  |