





PGQ2.5-2X2

Terminal Type - PGQ2.5-2X2 , Multi-Conductor Ground modular terminal block, connection method: Push-in connection, number of connections: 4, Rated cross-section: 2.5 mm², cross-section: 0.08 mm² – 4 mm² , mounting type: TS 35/7.5, TS 35/15

Product Accessories

| DIN Rail Perforated | | |
|------------------------|--|---|
| CHKDS | Height : 15.00 mm Width : 35.00 mm Thickness : 1.50 mm |  |
| CHKS | Height : 7.50 mm Width : 35.00 mm Thickness : 1.00 mm |  |
| DIN Rail, Unperforated | | |
| CHKD | Height : 15.00 mm Width : 35.00 mm Thickness : 1.50 mm |  |
| CHK | Height : 7.50 mm Width : 35.00 mm Thickness : 1.00 mm |  |
| End Cap | | |
| CHKENDCAP | Height : 14.00 mm Width : 9.00 mm Length : 41.50 mm |  |
| End Clamp | | |
| SCUP | Height : 34.00 mm Length : 44.75 mm |  |
| SCEC35 | Height : 31.50 mm Width : 8.00 mm Length : 45.80 mm |  |
| SCUSL | Height : 41.10 mm Width : 8.00 mm Length : 47.50 mm |  |
| SCUDD | Height : 50.00 mm Width : 10.00 mm Length : 55.60 mm |  |

| End Clamp | | |
|----------------------------|--|---|
| DCKN | Height : 33.00 mm Width : 6.00 mm Length : 43.50 mm |  |
| DCKN10 | Height : 35.00 mm Width : 10.00 mm Length : 43.50 mm |  |
| SCKN | Height : 34.50 mm Width : 8.00 mm Length : 44.90 mm |  |
| SCUN | Height : 35.50 mm Width : 9.50 mm Length : 50.60 mm |  |
| End Cover | | |
| CSP2.5-2X2 | Height : 22.70 mm Width : 2.00 mm Length : 74.70 mm |  |
| Marker For Terminal Blocks | | |
| LABEL KN5 | Width : 5.00 mm |  |
| Partition Plate | | |
| DBF-3 | Height : 38.40 mm Width : 3.00 mm Length : 78.00 mm |  |
| Plug-in Bridge/Jumper | | |
| SLPU5-2W | Height : 26.00 mm Width : 9.15 mm Pitch : 5.00 mm |  |
| SLPU5-3W | Height : 26.00 mm Width : 14.15 mm Pitch : 5.00 mm |  |
| SLPU5-10W | Height : 26.00 mm Width : 49.15 mm Pitch : 5.00 mm |  |

| Plug-in Bridge/Jumper | | |
|-----------------------|--|---|
| SLPU5-4W | Height : 26.00 mm Width : 19.15 mm Pitch : 5.00 mm |  |
| SLPU5-5W | Height : 26.00 mm Width : 24.15 mm Pitch : 5.00 mm |  |
| SLPU5-6W | Height : 26.00 mm Width : 29.15 mm Pitch : 5.00 mm |  |
| SLPU5-7W | Height : 26.00 mm Width : 34.15 mm Pitch : 5.00 mm |  |

| Marker carriers | | |
|-----------------|--|---|
| SCUDDMLH | Height : 71.50 mm Width : 10.00 mm Length : 55.60 mm |  |
| SCUNMLH | Height : 53.50 mm Width : 9.50 mm Length : 50.60 mm |  |
| DCKNMLH | Height : 45.50 mm Width : 6.00 mm Length : 43.50 mm |  |
| SCKNMLH | Height : 45.50 mm Width : 8.00 mm Length : 44.90 mm |  |