


## CST70

Terminal Type - CST70, Feed Through Terminal block, nominal voltage: 800 V, nominal current: 192 A , Rated cross-section - 75 mm<sup>2</sup>, connection method: Screw connection, number of connections: 2, cross-section: 10 mm<sup>2</sup> - 95 mm<sup>2</sup>, mounting type: TS32



### Approvals

CE

### General Information

Product Name	CST70
Connection Method	Screw Connection
Rating	800 V/192 A/70 mm <sup>2</sup> /6 Nm
HSN Number	85389000
Standard Packing Qty(in No)	5
Country Of Origin	India
Screw thread	M6

### Dimensions & Weight

Width	27 mm	1.06 inch
Length	76.5 mm	3.01 inch
Height	78.7 mm	3.1 inch
Weight of std. Packing Unit	1.45 Kg	

### Material Data

Insulating Material	Melamine
Standard Colour	Khakhi
Colour Variants	Red , Yellow , Blue , Black ,

### Rated Conductor Size

Conductor cross section flexible min	10 mm <sup>2</sup>
Conductor cross section flexible max	70 mm <sup>2</sup>
Conductor cross section solid min	10 mm <sup>2</sup>
Conductor cross section solid max	95 mm <sup>2</sup>

## Ratings - IEC

Connection in acc. with standard	IEC 60947-7-1
Nominal Voltage $U_n$	800 V
Nominal Current $I_n$	192 A
Nominal cross section	70 mm <sup>2</sup>
Short-time current	8.4 kA
Rated surge voltage	8 kV
Degree of pollution	3

## Product Accessories

### DIN Rail Perforated




CHS	Height : 15.00 mm Width : 32.00 mm Thickness : 1.50 mm	
-----	--	---

### End Clamp

SCS	Height : 26.90 mm Length : 21.00 mm	
SCSN	Height : 31.00 mm Width : 8.40 mm Length : 27.00 mm	
SCUP	Height : 34.00 mm Length : 44.75 mm	
SCUSL	Height : 41.10 mm Width : 8.00 mm Length : 47.50 mm	
SCUDD	Height : 50.00 mm Width : 10.00 mm Length : 55.60 mm	
SCUN	Height : 35.50 mm Width : 9.50 mm Length : 50.60 mm	

### End Cover

EP70	Height : 78.50 mm Width : 4.00 mm Length : 76.50 mm	
------	---	---

Marker For Terminal Blocks		
LABEL KN17	Width : 17.00 mm	
Marker carriers		
GMC	Height : 48.00 mm Width : 39.00 mm Thickness : 1.00 mm Length : 38.00 mm	
SCUDDMLH	Height : 71.50 mm Width : 10.00 mm Length : 55.60 mm	
SCUNMLH	Height : 53.50 mm Width : 9.50 mm Length : 50.60 mm	