


NET4

Terminal Type - NET 4 , Mini and Micro Feed-through terminal block, nominal voltage: 600 V, nominal current: 32 A, connection method: Screw connection, number of connections: 2, cross-section: 0.5 mm² - 6 mm² , mounting type: TS15



Approvals



General Information

Product Name	NET4
Connection Method	Screw Connection
Rating	600 V/32 A/4 mm ² /0.5 Nm
HSN Number	85389000
Standard Packing Qty(in No)	100
Country Of Origin	India
Screw thread	M3

Dimensions & Weight

Width	6.5 mm	0.26 inch
Length	26 mm	1.02 inch
Height	30 mm	1.18 inch
Weight of std. Packing Unit	0.6 Kg	

Material Data

Insulating Material	Polyamide 6,6
Standard Colour	Gray
Colour Variants	Red , Yellow , Blue , Black , Green , Khakhi ,

Rated Conductor Size

Conductor cross section flexible min	0.5 mm ²
Conductor cross section flexible max	4 mm ²
Conductor cross section solid min	0.5 mm ²
Conductor cross section solid max	6 mm ²

Ratings - IEC

Connection in acc. with standard	IEC 60947-7-1
Nominal Voltage U_n	600 V
Nominal Current I_n	32 A
Nominal cross section	4 mm ²
Short-time current	0.48 kA
Rated surge voltage	8 kV
Degree of pollution	3

Ratings - ATEX

ATEX Standard	EN 60079-7
ATEX Nominal Voltage U_n	250 V
ATEX Nominal Current I_n	32 A
ATEX Cross Sec. Flexible Max.	4 mm ²

Ratings - CSA

CSA Standard	CSA C22.2 NO 158
B - CSA Nominal Voltage U_n	300 V
B - CSA Nominal Current I_n	37 A
B - CSA Wire Min	24 AWG
B - CSA Wire Max	10 AWG

Ratings - UL

UL Standard	UL 1059
B - UL Nominal Voltage U_n	300 V
B - UL Nominal Current I_n	37 A
B - UL Wire Min	24 AWG
B - UL Wire Max	10 AWG

Product Accessories

DIN Rail Perforated

CHM	Height : 5.00 mm Width : 15.00 mm Thickness : 1.00 mm	
-----	---	---

End Clamp

SCMN	Height : 18.00 mm Width : 6.10 mm Length : 23.50 mm	
------	---	---

End Cover		
EPMN	Height : 25.00 mm Width : 1.50 mm Length : 26.00 mm	
Fixed Bridge		
SLE-2W	Pitch : 6.50 mm	
SLE-3W	Height : 13.20 mm Pitch : 6.50 mm Length : 17.60 mm	
SLE-4W	Height : 13.20 mm Pitch : 6.50 mm Length : 24.10 mm	
SLE-5W	Height : 13.20 mm Pitch : 6.50 mm Length : 30.60 mm	
Marker For Terminal Blocks		
LABEL KN6.5	Width : 6.70 mm	
Partition Plate		
MBX	Height : 36.70 mm Width : 1.50 mm Length : 42.70 mm	